


Lip, oral cavity and pharynx cancer (C00–C14) in Poland in 2023


	Incidence			Mortality		
	Males	Females	Both sexes	Males	Females	Both sexes
Number of cases	3,147	1,335	4,482	2,293	797	3,090
Crude rate	17.3	6.9	11.9	12.6	4.1	8.2
ESP2013	18.3	6.3	11.7	13.8	3.7	8.2
ASW	10.0	3.3	6.5	7.0	1.7	4.1
Cumulative risk (to age 79)	1.5%	0.5%	0.9%	1.1%	0.3%	0.6%

Incidence


Geographical diversity by voivodeship (ESP2013)




Percentage of all cancers



Time trends in the years 1999-2023




Incidence by age group




Mortality


Geographical diversity by voivodeship (ESP2013)




Percentage of all cancers



Time trends in the years 1999-2023



Mortality by age group



Lip, oral cavity and pharynx cancer risk factors:

- irritation of the mucous membranes with cigarette smoke and high-percentage alcohol,
- human papillomavirus (HPV) infection,
- sun exposure in the case of lip cancer,
- chronic mechanical irritation of mucous membranes through poorly fitting dentures or chipped teeth.



email:
KRN.institut@nio.gov.pl
website:
<https://onkologia.org.pl/en>