





LARYNX CANCER- 2019

Factsheet







Morbidity

	Males	Females	Both
Number of cases in 2019	1688	265	1953
Crude rate	9.1	1.3	5.1
Standardized rate (ASE)	10.2	1.3	5.1
Cumulative risk (to age 74)	1 z 14731	1 z 109130	-
Percentage of all cancers	2.0%	0.3%	1.1%
Predicted number of cases in 2024	1733	336	2069
Predicted standardized rate (ASE) in 2024	9.7	1.5	5.1




Mortality

	Males	Females	Both
Number of cases in 2019	1267	191	1458
Crude rate	6.8	1.0	3.8
Standardized rate (ASE)	7.9	0.9	3.9
Cumulative risk (to age 74)	1 z 19769	1 z 170621	-
Percentage of all cancers	2.3%	0.4%	1.5%
Predicted number of cases in 2024	1332	215	1547
Predicted standardized rate (ASE) in 2024	7.8	0.9	3.9




LARYNX CANCER - 2019


Factsheet




Incidence by sex




Mortality by sex



Incidence by sex (standardized rate ASE)



Standardized rate (ASE)



Larynx cancer risk factors:

- exposure to cigarette smoke,
- alcohol consumption (synergistic effect with cigarette smoke),
- wood dust, coal dust, and inhaled chemicals exposure.

More:

