





LIP, ORAL CAVITY AND PHARYNX CANCER - 2019

Factsheet







Morbidity

	Males	Females	Both
Number of cases in 2019	3093	1239	4332
Crude rate	16.7	6.3	11.3
Standardized rate (ASE)	18.2	5.9	11.4
Cumulative risk (to age 74)	1 of 8161	1 of 25835	-
Percentage among most common cancers	4%	1%	3%
Predicted number of cases in 2024	3383	1532	4915
Predicted standardized rate (ASE) in 2024	18.8	7.0	12.3



Mortality

	Males	Females	Both
Number of cases in 2019	2290	721	3011
Crude rate	12.3	3.6	7.8
Standardized rate (ASE)	13.8	3.4	8.0
Cumulative risk (to age 74)	1 of 11999	1 of 51727	-
Percentage among most common cancers	4%	2%	3%
Predicted number of cases in 2024	2631	893	3524
Predicted standardized rate (ASE) in 2024	15.1	4.0	8.9




Factsheet

Standardized rate (ASE)



Incidence by sex

Crude rate





Standardized rate (ASE)





Mortality by sex

Crude rate



Incidence by sex (standardized rate ASE)

Standardized rate (ASE)



Lip, oral cavity and pharynx cancer risk factors:

- irritation of the mucous membranes with cigarette smoke and high-percentage alcohol,
- human papillomavirus (HPV) infection
- sun exposure in the case of lip cancer,
- chronic mechanical irritation of mucous membranes through poorly fitting dentures or chipped teeth.

More:



<http://onkologia.org.pl>