



URINARY BLADDER CANCER- 2019


Factsheet

Morbidity


	Males	Females	Both
Number of cases in 2019	5482	1851	7333
Crude rate	29.5	9.3	19.1
Standardized rate (ASE)	38.0	8.8	20.4
Cumulative risk (to age 74)	1 of 5268	1 of 19456	-
Percentage of all cancers	6.4%	2.2%	4.3%
Predicted number of cases in 2024	6726	2365	9091
Predicted standardized rate (ASE) in 2024	41.4	10.3	22.8



Incidence, males





Incidence, females




Mortality




	Males	Females	Both
Number of cases in 2019	3131	1017	4148
Crude rate	16.9	5.1	10.8
Standardized rate (ASE)	24.2	4.8	12.0
Cumulative risk (to age 74)	1 of 12166	1 of 49852	-
Percentage of all cancers	5.8%	2.2%	4.1%
Predicted number of cases in 2024	3671	1099	4770
Prognozowany współczynnik standaryzowany (ASE) dla 2024	25.6	4.7	12.4




Deaths, males




Deaths, females




Factsheet




Incidence by sex




Mortality by sex



Incidence by sex (standardized rate ASE)



Standardized rate (ASE)



Urinary bladder cancer risk factors:

- hazardous exposure to certain chemicals used in industry (applies to workers in the textile, rubber, leather, printing and chemical industries),
- smoking.

More:



<http://onkologia.org.pl>